

# Comment on: Pancreaticoduodenectomy for the treatment of pancreatic neoplasms in children: A Pediatric Surgical Oncology Research Collaborative study

Nicolas Prud'homme<sup>1</sup>, Gary Galante<sup>2</sup>, Harmeet Kaur<sup>2</sup>, Marie-Anne Brundler<sup>2</sup>, Paul Beaudry<sup>3</sup>, and Douglas R. Strother<sup>3</sup>

<sup>1</sup>CHU Sainte-Justine

<sup>2</sup>University of Calgary Cumming School of Medicine

<sup>3</sup>Alberta Children's Hospital

April 9, 2021

## Hosted file

Comment on- Pancreaticoduodenectomy for the treatment of pancreatic neoplasms in children- A Pediatric Surgical Oncology Research Collaborative Study is available at <https://authorea.com/users/406860/articles/517364-comment-on-pancreaticoduodenectomy-for-the-treatment-of-pancreatic-neoplasms-in-children-a-pediatric-surgical-oncology-research-collaborative-study>




FIGURE 1 A. Axial unenhanced T2 weighted image shows a well-defined heterogeneous hyperintense mass with hypointense rim. B. Contrast enhanced arterial phase fat saturated T1 weighted image demonstrates the lesion as hypointense. C. On a contrast-enhanced portal phase fat saturated T1 weighted image, the lesion demonstrates heterogeneous enhancement.