

Table 2: Intraoperative parameters and hemodynamics of the patients

	<b>Elderly Patients</b>	<b>Young Patients</b>	<b>p</b>
	<b>(n:15)</b>	<b>(n:39)</b>	
<b>Duration of anesthesia (min)</b>	161±42.6	152.5±44.9	0.278
<b>Operation time (min)</b>	113.3±39.4	108.38±39.8	0.685
<b>Bleeding (ml)</b>	50 (20-200)	50 (10-500)	0.958
<b>Hemoglobin reduce</b>	0.90±0.49	1±0.93	0.472
<b>Inlet SBP (mmHg)</b>	164.4±28	150.94±23.1	0.084
<b>Maximum SBP(mmHg)</b>	180 (120-220)	170 (110-220)	0.315
<b>Minimum SBP (mmHg)</b>	130 (60-160)	110 (90-140)	0.051
<b>Systolic instability</b>	56.6±25.8	57.4±26.1	0.932
<b>SBP &gt; 200 mmHg (n) (%)</b>	5 (33%)	11 (28.2%)	0.712
<b>SBP &gt; 160 mmHg (n) (%)</b>	13 (86.7%)	24 (61.5%)	0.075
<b>MAP &lt; 60 mmHg (n) (%)</b>	0	0	n.a.
<b>SBP &gt; 30% baseline (n) (%)</b>	8 (53.3%)	20 (51.3%)	0.893
<b>Inlet DBP (mmHg)</b>	96.9±20.2	93.2±15.3	0.485
<b>Maximum DBP (mmHg)</b>	100 (70-120)	100 (70-140)	0.991
<b>Minimum DBP (mmHg)</b>	60 (30-90)	60 (40-100)	0.786
<b>Diastolic instability</b>	37±13	38.7±14.4	0.643
<b>DBP &lt; 30% baseline (n) (%)</b>	8 (53.3%)	11 (28.2%)	0.083
<b>HR &gt; 110 bpm (n) (%)</b>	3 (20%)	3 (7.7%)	0.324

SBP: systolic blood pressure, MAP: mean arterial pressure, DBP: diastolic blood pressure,

HR: heart rate