



CYTOKERATIN – A DIAGNOSTIC MOLECULE

BAJPAI MANAS

ABSTRACT

The term cytokeratin was first used in late 1970s by Franke et al. They can be defined as proteins of keratin containing intermediate filaments found in the intracytoplasmic cytoskeleton of epithelial tissue. Within epithelial cells CK filament functions as components of the cytoskeleton and cell contacts. They have been widely used for the detection of different malignant and premalignant disorders. Over 32000 published articles exist in the biomedical research literature that used the term cytokeratin. The aim of this article to review the uses and method of detection of cytokeratins in diagnosis.

READ REVIEWS

WRITE A REVIEW

CORRESPONDENCE:

dr.manasbajpai@gmail.com

DATE RECEIVED:

June 10, 2015

DOI:

10.15200/winn.143396.65342

ARCHIVED:

June 10, 2015

CITATION:

Bajpai Manas, CYTOKERATIN
– A DIAGNOSTIC MOLECULE
, *The Winnower*
2:e143396.65342 , 2015 , DOI:
[10.15200/winn.143396.65342](https://doi.org/10.15200/winn.143396.65342)

Full article at: Bajpai M, Kumar M, Kumar M, Agarwal D. Cytokeratin – A diagnostic molecule. GCC Journal of Science and Technology 2015; 1(1):1-5

<http://ejpli.at.ua/PDF001.pdf>

© Manas This article is distributed under the terms of the [Creative Commons Attribution 4.0 International License](#), which permits unrestricted use, distribution, and redistribution in any medium, provided that the original author and source are credited.

