

Enable Quantum Graph Neural Networks on a Single Qubit via Quantum Walk

Anonymous CVPR submission

Paper ID 1758

Abstract

In the NISQ era, implementing practical quantum machine learning faces challenges due to limited resources. A recent advancement involves a novel single-qubit methodology, allowing for the execution of numerous operations on a single qubit. However, its applicability to complex neural network architectures remains uncertain. This study focuses on graph data, known for its intricate structure and inherent challenges for machine learning. Utilizing the quantum walk, we introduce a graph embedding approach to reduce network parameters, resulting in the design of a novel architecture called the single-qubit Quantum Graph Neural Network (sQGNN). Experimental assessments, including simulations, demonstrate the adaptability of sQGNNs to graphs of varying dimensions and compositions. The resource-efficient nature of sQGNNs is showcased through practical executions on quantum computers, using only one qubit. This capability highlights the efficient utilization of limited qubit resources, paving the way for expansive quantum graph neural networks on resource-constrained Variational Quantum Circuits (VQCs). This breakthrough opens up new possibilities for practical applications within the current NISQ regime.

1. Introduction

As information technology continues to advance and the density of information increases exponentially, innovative approaches to the complexity of machine learning have become imperative [30]. Quantum algorithms have demonstrated an exponential acceleration advantage over classical solutions in high-dimensional data processing [30]. The combination of quantum computing and machine learning has resulted in the development of quantum machine learning (QML), which has the potential to improve classical machine learning algorithms [15]. However, QML faces hardware and software implementation challenges in the current NISQ era of quantum computing [26].

Quantum computers have made impressive progress [30], though several major limitations remain in the NISQ

era [26]. These include limited qubit numbers and architectural and programmability restrictions. Additionally, high noise levels [5] and the prospect of fault-tolerant quantum computers in years or decades [26] prevent the realization of quantum supremacy [25], that is, the acceleration of real-world applications. Therefore, the present key question is how to make the most of current NISQ devices to achieve quantum advantages, taking into account the limited number of qubits, limited qubit connectivity, and coherent and incoherent errors which limit the depth of quantum circuits. Variational Quantum Algorithms (VQAs) [4] are widely used in quantum machine learning, but still have many limitations, such as trainability, accuracy, efficiency, and especially, the "barren plateau" [19].

A notable example is the quantum convolutional neural network introduced by Cong et al. [6], which pioneers the integration of convolutional concepts from classical machine learning into quantum machine learning. However, in the current landscape of quantum computers during the Noisy Intermediate-Scale Quantum (NISQ) era, deploying quantum convolutional neural networks poses challenges due to the substantial requirements for qubits and quantum volumes. This limitation hinders their practical application. Taking image tasks, such as the MNIST dataset [?], as an illustration, even for this relatively smaller-sized dataset, processing with a quantum convolutional neural network demands 784 qubits—an impractical expense for both current and foreseeable future quantum computers.

The present scenario is marked by the high cost of quantum computers, making them accessible to only a few researchers, and the limited availability of public quantum computing resources [18]. The expansion of quantum resources is limited in the near future. Consequently, the efficiency of quantum resource utilization becomes crucial for the development of quantum models. Consequently, current quantum machine learning research predominantly focuses on smaller or specially designed datasets tailored for specific experiments. As a result, there is currently limited exploration of more complex neural networks in the quantum domain, with minimal involvement in real-world tasks that serve as benchmarks for classical machine learning.




Figure 1. (a) The diagram of the graph embedding based on the quantum walk. (b) The Single-Qubit quantum circuit. The elements in the representation vector of the graph are in units of 3, and are encoded onto the qubits using a quantum rotation gate. Every three quantum rotation gates constitute a unitary operation, and the Single-Qubit method uses this unitary operation as the basic unit of encoding and parameter training.

Research [22] proposed a simple multi-layer perceptron on single qubits through the data-reuploading method. Another research [7] further applied this method to more complex deep convolutional neural networks. The research [23, 36] confirms the good expressivity of the Single-Qubit method. In our work, we apply the Single-Qubit method to graph neural networks to process the graph data to avoid the complex graph structure problems faced by previous work.

This paper proposes a novel method for implementing an entire quantum graph neural network on a single qubit [8, 22], allowing for the analysis of complex graph data on resource-constrained NISQ VQCs, called Single-Qubit Quantum Graph Neural Network (sQGNN). Firstly, a graph embedding method based on discrete-time quantum walks is used to convert a graph data sample into a vector, as shown in Figure 1. Secondly, a new encoding scheme is used to easily encode the vectorized graph data onto quantum circuits, taking advantage of quantum computing to reduce the number of parameters required by classical neural networks, often to several tens from thousands and beyond. This drastically reduces the quantum volume occupancy. Thirdly, the uploaded quantum graph data is fed into a novel quantum graph neural network classifier that uses only a single qubit, which can be trained to fit the objective function through a variety of quantum rotation gates.

2. Related Work

Graph-structured data has become a highly active research topic in the field of machine learning. However, classical neural networks are designed to process data with regular structures in Euclidean space, and their efficiency is consequently reduced when dealing with complex graph data. Quantum computing has been suggested as a potential solution to address this computational complexity, as data in quantum machine learning is often represented in a high-dimensional Hilbert space by quantum states, which has been demonstrated to be beneficial for classification tasks [29].

A study [34] first proposed a quantum graph neural network. On this basis, quantum graph recurrent neural networks and quantum graph convolutional neural networks were proposed, and experiments were conducted using quantum-based graph data. The limitation of this research is that when building a model, it is necessary to use prior knowledge of the known data structure to adjust the model, and there are certain requirements for the specifications of the input graph data. In the same way, there is Quantum Graph Convolutional Neural Networks proposed by [37]. This work is inspired by convolutional neural networks, but it also has strict requirements on the structure size of the input graph data. In addition to the above two models whose main parts are entirely composed of quantum circuits, there are also quantum-classical hybrid models. For example, [33] uses a hybrid model for particle

tracking, but only adds an additional quantum circuit after the classical neural network, it is difficult to reflect the advantages of quantum computing. Therefore, when applying quantum machine learning to some larger graph data, the required quantum resources will increase accordingly.

3. Single-Qubit Graph Neural Network

Figure 1 illustrates the workflow of our proposed sQGNN method, which consists of three steps. First, the quantum walk graph embedding method is applied to convert raw graph data into a vector form that can be processed. Second, the processed graph representation vector is input into the single-qubit circuit in a predefined order of unitary operations, as depicted in Figure 1. This single-qubit method can encode all data with a single qubit, thus reducing the total number of qubits necessary for the NISQ era and effectively avoiding the "barren plateau" phenomenon [19] caused by excessive qubits in VQA. Finally, we measure the single-qubit circuit, calculate the fidelity and the loss of the model, and update the parameters of the quantum circuits to perform the training of the neural network. The training process provides us with the desired model. Further details on these three steps can be found in the Methods section. Subsequently, experiments were conducted to evaluate our sQGNN method on several real-world datasets from the chemistry and biology domains.

In summary, our method has the following advantages: **Save quantum resources.** Our approach requires only one qubit, which is significant in the NISQ era of quantum computing resources. **Anti-noise.** Our model exhibits good noise immunity on simulated depolarization errors as well as real quantum computers. The good robustness of the quantum method itself can save the extra quantum resources required by the Quantum Error Correction (QEC) algorithm. **Avoid the "barren plateau".** Our method only needs one qubit, effectively avoiding the "barren plateau". **The amount of parameters is small.** Our quantum approach has significantly fewer model parameters than the classical approach. **Extensibility.** Our quantum model can be combined with other quantum or classical structures to form a hybrid neural network. **Easy to deploy.** Our model requires only one qubit and can be easily deployed on real quantum computers.

3.1. Quantum Walk based Graph Embedding

In order to embed a graph onto a single qubit, classical graph data needs to be processed. Our method is inspired by [2]. When given a group of graphs, the method employs discrete-time quantum walks [9] to analyze them. Compared to classical walks, quantum walks possess remarkable features due to their dependence on unitary matrices instead of random ones. As they evolve, quantum walks create patterns of destructive interference, leading to improved graph

representations [9]. Additionally, quantum walks operate in the state space of directed edges rather than vertices, allowing for enhanced detection of the graph's structure. A coordinate wave function can be used to describe the particle position:

$$|\psi_p\rangle = \sum_x c_x |x\rangle \quad (1)$$

Where $|x\rangle$ is the wave function of particle in position x and c_x is the complex amplitude. So the probability of finding a particle at x is:

$$p(x) = |c_x|^2 \quad (2)$$

The particle is in a superposition state of various positions during the process of walking. Considering the random walk of particles, we need to introduce the flipping operator C and moving operator S :

$$C = H \otimes I_x \quad (3)$$

$$S = |0\rangle\langle 0| \otimes |x+1\rangle\langle x| + |1\rangle\langle 1| \otimes \sum_x |x-1\rangle\langle x| \quad (4)$$

Where H is the Hadamard gate and I_x is the identity matrix of wave function of x . Apply these two operators to the initial state $|\psi_0\rangle$ where the position is 0 and the state is upspin, the next state is:

$$|\psi_1\rangle = \frac{1+i}{2} |0\rangle|1_x\rangle + \frac{1-i}{2} |0\rangle|-1_x\rangle \quad (5)$$

The state $|\psi_1\rangle$ is in superposition of position $x = -1$ and $x = 1$. This process can obtain a different probability distribution than the classical process.

To begin, we apply the commute time spanning tree (CTST) representation of the input graphs. Next, we execute simulations involving the evolution of a discrete-time quantum walk across the CTSTs. With access to the CTST representations of the graphs, we proceed to simulate the evolution of a discrete-time quantum walk on each of the trees, employing the Perron-Frobenius operator [27]. Afterwards, we calculate the associated time-averaged density matrix for each quantum walk. This matrix captures the statistical set of quantum states resulting from the time evolution of the quantum walk. Each element along the main diagonal of this matrix represents the time-averaged probability of the walk occupying an edge in the underlying graph. These probabilities effectively characterize the likelihood of the walk moving along specific arcs throughout the course of its evolution. Based on this, we can obtain a representation vector for each graph. The specific work embedding process is shown in Figure 1(a).

3.2. Single-Qubit based Quantum Encoding of Graph Data

Data encoding for many Machine Learning (ML) tasks is often presented as column vectors of classical data. Single-qubit encoding, introduced in [22], is a strategy for encoding a vector of classical data into a characteristic Hilbert space through a series of single operations acting on each input data dimension, applied to a single qubit as shown in Figure 1(b). The unitary operation of single-qubit encoding can be expressed by the following formula:

$$U = R_Z(\beta)R_Y(\gamma)R_Z(\delta) = e^{i\beta\sigma_z}e^{i\gamma\sigma_y}e^{i\delta\sigma_z} \quad (6)$$

Where σ is the Pauli matrix. With Euler angles $\beta, \gamma, \delta \in \mathbb{R}$ that define the extent of each rotation (R) around the Z, Y and Z axes respectively. Within this method of encoding, these Euler angles are parameterized further and defined as:

$$\beta = \theta_i + x_i \cdot \phi_i \quad (7)$$

$$\gamma = \theta_{i+1} + x_{i+1} \cdot \phi_{i+1} \quad (8)$$

$$\delta = \theta_{i+2} + x_{i+2} \cdot \phi_{i+2} \quad (9)$$

Where θ_i and ϕ_i are trainable weight parameters assigned to x_i , the value of the input vector x at dimension i . Therefore, the extent of rotation β, γ, δ is with respect to the weighted value of the input. Combining three rotation gates into a unitary operation, there is:

$$U(\vec{\omega}) = e^{i\vec{\omega} \cdot \vec{\sigma}} \quad (10)$$

Where $\vec{\omega} = (\omega(\beta), \omega(\gamma), \omega(\delta))$. And respectively:

$$\omega(\beta) = c \left(\sqrt{1 - \cos^2 c} \right)^{-1} \sin \left(\frac{\gamma - \delta}{2} \right) \sin \left(\frac{\beta}{2} \right) \quad (11)$$

$$\omega(\gamma) = c \left(\sqrt{1 - \cos^2 c} \right)^{-1} \cos \left(\frac{\gamma - \delta}{2} \right) \sin \left(\frac{\beta}{2} \right) \quad (12)$$

$$\omega(\delta) = c \left(\sqrt{1 - \cos^2 c} \right)^{-1} \sin \left(\frac{\gamma + \delta}{2} \right) \cos \left(\frac{\beta}{2} \right) \quad (13)$$

Where $\cos c = \cos \left(\frac{\gamma + \delta}{2} \right) \cos \left(\frac{\beta}{2} \right)$. The single-qubit encoding method can be employed to encode up to three input dimensions per unitary operation. The input vector is thus cycled through in order to encode three-dimensional values until the entire input has been encoded. This method can be flexibly implemented on quantum circuits that process data

of different structures and can increase the data capacity per qubit.

For classic models, there is Universal Approximation Theorem (UAT) [14] to support its approximation capabilities. Similarly, for quantum models, UAT can be used to demonstrate approximation capabilities. According to [24], a quantum analogue can be constructed on the basis of UAT. Let f and ϱ be a pair of functions, with $f \in \mathbb{R}^m \rightarrow [0, 1]$ and $\varrho \in \mathbb{R}^m \rightarrow [0, 2\pi)$, there is:

$$\left| f(\vec{x}) e^{i\varrho(\vec{x})} - \left\langle 1 \prod_{i=1}^N U \left(\vec{x}, \vec{\theta}_i, \vec{\phi}_i \right) \middle| 0 \right\rangle \right| < \epsilon \quad (14)$$

Where $\epsilon > 0$. Based on this quantum UAT, it can be considered that the Single-Qubit method is able to approximate the functions.

3.3. Measurement and Loss Calculation in Our Single-Qubit GNN

In the measurement phase, we observe the quantum circuit to obtain its final state. Due to the relatively special step of measurement in quantum circuits compared with classical methods, we can use the characteristics of measurements to construct an evaluation method similar to entropy. As opposed to traditional direct measurement of the qubit state, we adopt a fidelity-based measurement method for classification tasks. In quantum information theory, fidelity is a measure of the "closeness" of two quantum states. It represents the probability of a state being identified as another state by a measure. Fidelity is defined as follows:

$$F(\rho, \sigma) = \left(\text{tr} \sqrt{\sqrt{\rho} \sigma \sqrt{\rho}} \right)^2 \quad (15)$$

Where ρ and σ are two quantum state. The goal of this method is to minimize the fidelity between a set of data encodings and their respective target states. For the Single-Qubit method, we only need to measure once for each graph data. For binary classification, we assign each image from the set size D with class values in 0,1 to the target states $|0\rangle$ or $|1\rangle$. This approach can be applied to any number of classes, provided that the target states are maximally distinguishable. Fidelity F is a metric for the similarity or proximity between two quantum states, in which $0 \leq F \leq 1$. The higher the fidelity, the more similar the states are in the direction. The highest class fidelity value given is then considered the classification result. The formula of fidelity is shown as follows:

$$F(\vec{x}, \vec{\theta}, \vec{\phi}) = \left| \left\langle \vec{\psi}_l \middle| \psi_{\text{output}}(\vec{x}_i, \vec{\theta}, \vec{\phi}) \right\rangle \right|^2 \quad (16)$$

The role of the loss function is to quantify the discrepancy between the predicted output of the model and the true

value. In our model, fidelity is used to measure the similarity between the results and the labels, and hence the loss function is also designed accordingly. The formula is as follows:

$$\mathcal{L}(\vec{x}, \vec{\theta}, \vec{\phi}) = \sum_{i=1}^M \left(1 - F(\vec{x}, \vec{\theta}, \vec{\phi}) \right) \quad (17)$$

Where $\vec{\psi}_l$ is the correct label state of the data point.

Having obtained the loss, we can use the optimizer to maximize the sum of the fidelity of all data points and find the best weight for classification, the parameters θ_i and ϕ_i in the unitary operation above. The optimization strategy we use is Quantum Natural Gradient, based on [32]. A distinctive feature of the quantum state space is its possession of an intrinsic metric tensor known as the Fubini-Study metric tensor. By capitalizing on this property, we can develop quantum natural gradient descent:

$$\omega_{t+1} = \omega_t - \eta g^+(\omega_t) \nabla \mathcal{L}(\omega) \quad (18)$$

Where g^+ is the pseudo-inverse of the Fubini-Study metric tensor. The following is a variational quantum circuit:

$$U(\omega)|\psi_0\rangle = V_l(\omega_l) V_{l-1}(\omega_{l-1}) \cdots V_0(\omega_0)|\psi_0\rangle \quad (19)$$

Where $V_l(\omega_l)$ are layers of quantum gates with parameters. ω represents the parameters, including the above mentioned β , γ and δ . Considering that only rotation gates are used in the Single-Qubit method, these quantum gates can be transformed into the following form:

$$X(\omega_i^{(l)}) = e^{i\omega_i^{(l)} K_i^{(l)}} K_i^{(l)} \quad (20)$$

The block-diagonal submatrix of the Fubini-Study tensor is:

$$g_{ij}^{(l)} = \langle \psi_{l-1} | K_i K_j | \psi_{l-1} \rangle - \langle \psi_{l-1} | K_i | \psi_{l-1} \rangle \langle \psi_{l-1} | K_j | \psi_{l-1} \rangle \quad (21)$$

$$|\psi_{l-1}\rangle = V_{l-1}(\omega_{l-1}) \cdots V_0(\omega_0)|\psi_0\rangle \quad (22)$$

Based on this, through quantum backpropagation, we can train the quantum model at a faster speed.

4. Experiments

We chose the MUTAG dataset and PTC series dataset as experimental data. The MUTAG dataset contains 188 nitro compounds. The graph data belongs to the isomer graph. The full name of PTC is Predictive Toxicology Challenge, which is used to develop advanced SAR technology predictive toxicology models. According to the experimental

rodent species, there are a total of 4 datasets: PTC_FM, PTC_FR, PTC_MM, and PTC_MR. The specific parameters of the dataset are shown in the table below. We use PennyLane [3] and PyTorch [21] to perform experiments. The quantum computer we use is the ibm_manila node provided by IBM [16]. The number of qubits available to this quantum computer is 5, the Quantum volume is 32, it can perform 2800 Circuit layer operations per second, and the processor model is Falcon r5.11L.

4.1. Experiments in the Simulated Quantum Environment

We configured two simulation setups for our sQGNN models: an ideal quantum environment and a noisy environment involving noise interference in the simulated NISQ devices. To evaluate the robustness of the sQGNN model, we conducted multiple experiments under both simulated environments and tested the classic models with edGNN[17], R-GCN[28], GIN[35], RW-GNN[20], TOGL[13] and sQGNN. The tested quantum models include GBS[31], QJSK and QJSKT[1]. To verify the Single-Qubit method, we set up a control model composed of two quantum bits. The two qubits of the sQGNN-Dual model are the same. The input data is encoded once in the two qubits, and there is a quantum entanglement between the two qubits.

Ideal simulated environment. Table 1 presents the test results of the sQGNN model in an ideal simulated quantum environment. The best result is underlined and the second result is bolded. The results indicated that the sQGNN model achieved the best performance on the four datasets of PTC datasets[11]. As a research [7], increasing the number of processing layers (i.e., unitary operations) of the single-qubit method improves the model's performance, especially when the number of unitary operations is below three. This could be attributed to the relatively low number of feature elements in the graph representation vector of MUTAG data.

The comparison of the results in the ideal quantum environment revealed that the overall accuracy of our sQGNN model was superior. Moreover, the sQGNN method has the advantage of a compact model structure. Classical graph neural networks tend to be complex in terms of the model structure due to the complexity of graph data itself. By contrast, our model, which employs a graph embedding method without hyperparameters and Single-Qubits QGNN quantum circuits, obtains a huge advantage in the total number of parameters. For instance, in the MUTAG dataset, our model requires only 12 parameters, whereas a classical neural network such as GIN has 13,000 parameters.

The performance of sQGNN and sQGNN-Dual models did not show a significant difference. The standard deviation of the sQGNN-Dual model is relatively small, but this

Table 1. The average accuracy of the models over different real-world graph datasets.

Model	MUTAG	PTC_FM	PTC_FR	PTC_MM	PTC_MR
edGNN	86.9±1.0	59.8±1.5	65.7±1.3	64.4±0.8	56.3±1.9
R-GCN	81.5±2.1	60.7±1.7	65.8±0.6	64.7±1.7	58.2±1.7
GIN	85.4±3.5	64.4±6.7	65.1±5.3	64.8±5.4	64.6±7.0
RW-GNN	88.3±4.1	60.9±2.7	63.1±1.3	63.2±1.4	57.1±1.4
TOGL	87.2±3.8	64.9±4.6	64.8±3.8	63.1±4.1	60.3±4.7
GBS	86.4±0.3	53.8±1.0	-	-	-
QJSK	83.4±0.5	-	-	-	58.2±0.8
QJSKT	81.6±0.5	-	-	-	57.4±0.4
SQGNN	87.3±4.8	66.2±7.3	66.9±5.5	65.9±4.2	65.9±5.5
SQGNN-Dual	87.2±4.2	66.2±6.9	66.4±4.8	66.0±4.1	65.9±5.1

Table 2. The average accuracy of the models with depolarizing error.

depolarization probability	MUTAG	PTC_FM	PTC_FR	PTC_MM	PTC_MR
0.001	87.3±3.3	65.0±7.2	66.5±9.1	65.3±4.2	65.8±4.4
0.01	86.7±4.9	65.1±8.6	66.1±5.6	65.7±4.5	65.8±5.1
0.1	84.8±6.4	64.0±7.7	65.0±8.4	63.7±4.8	64.5±4.5

is foreseeable, because the input data of the sQGNN-Dual model has been entered once more once, and the number of parameters increases. In the task set in the experiment, the number of quits increased significantly, but the quantum resources used were doubled.

Noisy simulated environment. To verify the robustness of sQGNN against noise when running on NISQ devices, we train and test the models in a noisy simulated environment. As shown in Table 3, the depolarization error was set as the noise in the environment for the sQGNN model. The depolarization error applies a random Pauli (e.g. X, Y, Z) to each qubit in a group of qubits and is described by the following formula:

$$E(\rho) = (1 - \varepsilon) \rho + \varepsilon Tr[\rho] \frac{I}{2^n} \quad (23)$$

Where ε is the depolarizing error param, n is the number of qubits for the error channel and I is the Pauli matrix.

We set three levels of the depolarization parameter to assess the tolerance of sQGNN to depolarization errors. The test results are shown in Table 2 and reveal that sQGNN is almost unaffected by depolarization errors at 0.001 and 0.01, and slightly affected at 0.1. Despite the functional limitations of quantum devices in the NISQ era, the influence of noise is unavoidable, resulting in significant degradation of performance on real quantum computers. However, the results of this experiment show that the sQGNN model can stably maintain good performance in the presence of noise.

Figure 2 displays the distribution of graphs from the PTC_FM dataset in Hilbert space on the surface of Bloch spheres. Red points correspond to Class 0 and blue points to

Class 1. Class 0 is mainly concentrated in the upper hemisphere, while Class 1 is mainly concentrated in the lower hemisphere. This suggests that the model’s classification ability for Class 0 is stronger than for Class 1, with some outliers distributed in the upper hemisphere. This may be due to the initial state of the quantum circuit being set to $|0\rangle$ or the structure of the graph data.

4.2. Real Quantum Device Test Experiment

We evaluated the performance of our single-qubit sQGNN model on the MUTAG dataset using a real quantum computer provided by IBM. The model was deployed in a simulated quantum environment to an IBM online quantum computer, facilitated by IBM Quantum Lab.

Figure 3 demonstrates the test results of two samples on the real IBM quantum computer and the corresponding simulated quantum environment. The accuracy obtained on the MUTAG dataset was 88.89%, with no degradation in accuracy compared to the simulation environment. Furthermore, the measurement results of $|0\rangle$ and $|1\rangle$ are shown in Figure 3(a), leading to the observation that Class 0 is better classified than Class 1. This phenomenon can be attributed to the fact that the initial state is $|0\rangle$ and the difference in the graph data structure of the two classes, which is consistent with the results obtained in the simulated environment in Figure 2.

Figure 3(b) presents the visual image of the Wigner quasi-probabilistic equations [12], which relate the wave function to a probability distribution in phase space. The results in the figure illustrate that the model can effectively differentiate between the two classes, and is less affected




Figure 2. This figure is a demonstration of all graph data of the PTC dataset in Hilbert space. The red dot is class 0 and the blue dot is class 1.




Figure 3. (a) Results of testing the effects of the model on IBM’s quantum computer, ibm_manila. Here are the measurements of two graphs with classes 0 and 1 in the test data. The ordinate represents the number of occurrences of a particular state in the measurement. (b) Visualization of the Wigner quasi-probability function for Class 0 and 1. Our model discriminates between the two classes clearly on a quantum computer.

by noise generated from NISQ devices. Generally, the initial state of available quantum computers is set to $|0\rangle$. If the initial state is set to $|1\rangle$, the outcome may differ. Due to the physical limitations of the system, the initial state of $|0\rangle$ may remain the norm of quantum computers for a period of time, thus requiring the optimization of the algorithm to address this issue.

5. Discussion

In the NISQ era, the implementation of quantum algorithms on noisy devices is limited by unavoidable device noise. To address this issue, single-qubit method has been proposed as an efficient solution for exploiting the limited qubits available in the NISQ era. Their simple structure and high efficiency suggest that our sQGNNs could be extended to

other tasks in the near future. This method has the potential to economize quantum resources in the NISQ era, where quantum computing resources are scarce.

In the Noisy Intermediate-Scale Quantum (NISQ) era, the implementation of quantum algorithms on noisy devices is limited by unavoidable device noise. Nevertheless, experimental evidence indicates that the single-qubit method employed in our proposed model exhibits robustness to noise in both simulated and actual quantum computing environments. While the Quantum Error Correction (QEC) algorithm is often used to address the errors resulting from device noise, it requires additional resources. In this sense, the intrinsic robustness of our algorithm can save valuable resources from the expensive QEC mechanisms in the NISQ era.

Nevertheless, experimental evidence indicates that the single-qubit method utilized in our proposed model demonstrates resilience to noise in both simulated and real-world quantum computing settings. Although the Quantum Error Correction (QEC) algorithm is a common approach to mitigate errors arising from device noise, its implementation demands supplementary resources. In this regard, the inherent robustness of our algorithm offers a means to conserve valuable resources, alleviating the need for costly QEC mechanisms in the NISQ era.

Implementing complex neural networks with intricate data on Variational Quantum Circuits (VQCs) has perennially posed a formidable challenge. To address this challenge, we adopted a graph embedding technique grounded in discrete-time quantum walks. This approach effectively extracts the structural information of the graph while ensuring a balanced utilization of computing resources during the graph embedding phase. In comparison to classical methods, our quantum circuit boasts a significantly reduced parameter count, rendering it an efficient model. Moreover, the quantum circuit architecture can seamlessly integrate with both quantum and classical models, facilitating a versatile array of tasks.

It is obvious that, due to the inherent coherence of quantum systems, the single-qubit method theoretically makes sQGNN less prone to quantum decoherence. However, recent theoretical analysis on single qubit methods [36] has raised questions about whether such implementations might limit the model's expressivity of multivariate functions and weaken its robustness. To address these concerns, we conducted experiments that included a dual-qubit implementation of sQGNN for comparison. The results, as displayed in Table 1, indicate that sQGNN demonstrated slightly better accuracy than sQGNN-Dual. This finding suggests that there is no significant difference in performance whether one or two qubits are used, thus alleviating concerns regarding the efficacy of single-qubit methods.

Furthermore, we included a dual qubit version of sQGNN for comparison. In experiments, In this study, we tried to increase qubits, but the performance of the model did not significantly improve, but it reflected better robustness. The tasks set by our experiments are limited, and we may not be able to reflect the benefits of increasing qubits. Increasing qubits in more complex and larger tasks still has its potential and is worthy of further research. Single-Qubit method renders sQGNN less prone to quantum decoherence due to the inherent coherence of quantum systems [36] demonstrated the general approximation power of the Single-Qubit method. [23] used the Fourier series to prove the approximation ability of the Single-Qubit method for any univariate function though unsure about its expressivity of multivariate functions. Our work instead offers a practical case to demonstrate the power of single qubit based

quantum neural networks on complex graph data, and hopefully can help alleviate some of the concerns in this regard.

Given the efficient utilization of the sQGNN method with a single qubit, we are able to keep the total number of qubits at a minimal level, thus circumventing the training difficulties of the "barren plateau" induced by VQC. While some studies [10, 19, 32] have proposed methods to ameliorate the "barren plateau", a fundamental solution to this issue has yet to be discovered. In the current state of quantum machine learning methods applying VQA, the "barren plateau" may persist for a while. The Single-Qubit method can be an effective way at this stage.

6. Conclusion

In conclusion, to address the challenges on the constraints of limited quantum resources facing the current VQCs of NISQ era, we successfully leveraged single qubit strategy and developed a novel quantum graph neural network architect on a single qubit by integrating a quantum walk graph embedding method with sQGNN quantum circuits that can successfully reduce the required parameters from over 10k to only 12 parameters (for MUTAG dataset). Our new method forms a concise structure suitable for deployment on quantum devices during the NISQ era. Our experimental results underscore the model's robustness on both quantum computing simulators and real quantum computers, showing its great potential on overcoming resource bottlenecks, achieving robust performance, withstanding quantum noises, mitigating the "barren plateau" issues, etc., showing a groundbreaking step toward harnessing quantum machine learning for real-world applications within the current NISQ era, where quantum hardware resources are constrained.

References

- [1] Lu Bai, Luca Rossi, Lixin Cui, Zhihong Zhang, Peng Ren, Xiao Bai, and Edwin Hancock. Quantum kernels for unattributed graphs using discrete-time quantum walks. *Pattern Recognition Letters*, 87:96–103, 2017. 5
- [2] Lu Bai, Luca Rossi, Lixin Cui, Jian Cheng, and Edwin R. Hancock. A quantum-inspired similarity measure for the analysis of complete weighted graphs. *IEEE Transactions on Cybernetics*, 50(3):1264–1277, 2020. 3
- [3] Ville Bergholm, Josh Izaac, Maria Schuld, Christian Gogolin, Shahnawaz Ahmed, Vishnu Ajith, M Sohaib Alam, Guillermo Alonso-Linaje, B AkashNarayanan, Ali Asadi, et al. PennyLane: Automatic differentiation of hybrid quantum-classical computations. *arXiv preprint arXiv:1811.04968*, 2018. 5
- [4] Marco Cerezo, Andrew Arrasmith, Ryan Babbush, Simon C Benjamin, Suguru Endo, Keisuke Fujii, Jarrod R McClean, Kosuke Mitarai, Xiao Yuan, Lukasz Cincio, et al. Variational quantum algorithms. *Nature Reviews Physics*, 3(9):625–644, 2021. 1
- [5] Aashish A Clerk, Michel H Devoret, Steven M Girvin, Florian Marquardt, and Robert J Schoelkopf. Introduction to

- quantum noise, measurement, and amplification. *Reviews of Modern Physics*, 82(2):1155, 2010. 1
- [6] Iris Cong, Soonwon Choi, and Mikhail D Lukin. Quantum convolutional neural networks. *Nature Physics*, 15(12):1273–1278, 2019. 1
- [7] Philip Easom-McCaldin, Ahmed Bouridane, Ammar Belatreche, and Richard Jiang. On depth, robustness and performance using the data re-uploading single-qubit classifier. *IEEE Access*, 9:65127–65139, 2021. 2, 5
- [8] Philip Easom-McCaldin, Ahmed Bouridane, Ammar Belatreche, Richard Jiang, and Somaya Al-Maadeed. Efficient quantum image classification using single qubit encoding. *IEEE Transactions on Neural Networks and Learning Systems*, 2022. 2
- [9] David Emms, Simone Severini, Richard C Wilson, and Edwin R Hancock. Coined quantum walks lift the cospectrality of graphs and trees. *Pattern Recognition*, 42(9):1988–2002, 2009. 3
- [10] Edward Grant, Leonard Wossnig, Mateusz Ostaszewski, and Marcello Benedetti. An initialization strategy for addressing barren plateaus in parametrized quantum circuits. *Quantum*, 3:214, 2019. 8
- [11] Christoph Helma, Ross D. King, Stefan Kramer, and Ashwin Srinivasan. The predictive toxicology challenge 2000–2001. *Bioinformatics*, 17(1):107–108, 2001. 5
- [12] BJ Hiley. Phase space descriptions of quantum phenomena. In *Proc. Int. Conf. Quantum Theory: Reconsideration of Foundations*, pages 267–86, 2004. 6
- [13] Max Horn, Edward De Brouwer, Michael Moor, Yves Moreau, Bastian Rieck, and Karsten Borgwardt. Topological graph neural networks. In *International Conference on Learning Representations (ICLR)*, 2022. 5
- [14] Kurt Hornik. Approximation capabilities of multilayer feed-forward networks. *Neural Networks*, 4(2):251–257, 1991. 4
- [15] Hsin-Yuan Huang, Michael Broughton, Masoud Mohseni, Ryan Babbush, Sergio Boixo, Hartmut Neven, and Jarrod R McClean. Power of data in quantum machine learning. *Nature communications*, 12(1):2631, 2021. 1
- [16] IBM. Ibm quantum. <https://quantum-computing.ibm.com/>, 2023. [Online; accessed 1-March-2023]. 5
- [17] Guillaume Jaume, An-phi Nguyen, María Rodríguez Martínez, Jean-Philippe Thiran, and Maria Gabrani. edgnn: a simple and powerful gnn for directed labeled graphs. *arXiv preprint arXiv:1904.08745*, 2019. 5
- [18] Sebastian Krinner, Simon Storz, Philipp Kurpiers, Paul Magnard, Johannes Heinsoo, Raphael Keller, Janis Luetolf, Christopher Eichler, and Andreas Wallraff. Engineering cryogenic setups for 100-qubit scale superconducting circuit systems. *EPJ Quantum Technology*, 6(1):2, 2019. 1
- [19] Jarrod R McClean, Sergio Boixo, Vadim N Smelyanskiy, Ryan Babbush, and Hartmut Neven. Barren plateaus in quantum neural network training landscapes. *Nature communications*, 9(1):4812, 2018. 1, 3, 8
- [20] Giannis Nikolentzos and Michalis Vazirgiannis. Random walk graph neural networks. *Advances in Neural Information Processing Systems*, 33:16211–16222, 2020. 5
- [21] Adam Paszke, Sam Gross, Francisco Massa, Adam Lerer, James Bradbury, Gregory Chanan, Trevor Killeen, Zeming Lin, Natalia Gimelshein, Luca Antiga, et al. Pytorch: An imperative style, high-performance deep learning library. *Advances in neural information processing systems*, 32, 2019. 5
- [22] Adrián Pérez-Salinas, Alba Cervera-Lierta, Elies Gil-Fuster, and José I Latorre. Data re-uploading for a universal quantum classifier. *Quantum*, 4:226, 2020. 2, 4
- [23] Adrián Pérez-Salinas, David López-Núñez, Artur García-Sáez, P. Forn-Díaz, and José I. Latorre. One qubit as a universal approximant. *Phys. Rev. A*, 104:012405, 2021. 2, 8
- [24] Adrián Pérez-Salinas, David López-Núñez, Artur García-Sáez, Pol Forn-Díaz, and José I Latorre. One qubit as a universal approximant. *Physical Review A*, 104(1):012405, 2021. 4
- [25] John Preskill. Quantum computing and the entanglement frontier. *arXiv preprint arXiv:1203.5813*, 2012. 1
- [26] John Preskill. Quantum computing in the nisq era and beyond. *Quantum*, 2:79, 2018. 1
- [27] Peng Ren, Tatjana Aleksić, David Emms, Richard C Wilson, and Edwin R Hancock. Quantum walks, ihara zeta functions and cospectrality in regular graphs. *Quantum Information Processing*, 10:405–417, 2011. 3
- [28] Michael Schlichtkrull, Thomas N Kipf, Peter Bloem, Rianne Van Den Berg, Ivan Titov, and Max Welling. Modeling relational data with graph convolutional networks. In *The Semantic Web: 15th International Conference, ESWC 2018, Heraklion, Crete, Greece, June 3–7, 2018, Proceedings 15*, pages 593–607. Springer, 2018. 5
- [29] Maria Schuld. Machine learning in quantum spaces, 2019. 2
- [30] Maria Schuld, Ilya Sinayskiy, and Francesco Petruccione. An introduction to quantum machine learning. *Contemporary Physics*, 56(2):172–185, 2015. 1
- [31] Maria Schuld, Kamil Brádler, Robert Israel, Daiqin Su, and Brajesh Gupta. Measuring the similarity of graphs with a gaussian boson sampler. *Phys. Rev. A*, 101:032314, 2020. 5
- [32] James Stokes, Josh Izaac, Nathan Killoran, and Giuseppe Carleo. Quantum natural gradient. *Quantum*, 4:269, 2020. 5, 8
- [33] Cenk Tüysüz, Carla Rieger, Kristiane Novotny, Bilge Demirköz, Daniel Dobos, Karolos Potamianos, Sofia Vallecorsa, Jean-Roch Vlimant, and Richard Forster. Hybrid quantum classical graph neural networks for particle track reconstruction. *Quantum Machine Intelligence*, 3:1–20, 2021. 2
- [34] Guillaume Verdon, Trevor McCourt, Enxhell Luzhica, Vikash Singh, Stefan Leichenauer, and Jack Hidary. Quantum graph neural networks. *arXiv preprint arXiv:1909.12264*, 2019. 2
- [35] Keyulu Xu, Weihua Hu, Jure Leskovec, and Stefanie Jegelka. How powerful are graph neural networks? *arXiv preprint arXiv:1810.00826*, 2018. 5
- [36] Zhan Yu, Hongshun Yao, Mujin Li, and Xin Wang. Power and limitations of single-qubit native quantum neural networks. In *Advances in Neural Information Processing Sys-*

702 *tems*, pages 27810–27823. Curran Associates, Inc., 2022. 2,
703 8
704 [37] Jin Zheng, Qing Gao, and Yanxuan Lü. Quantum graph con-
705 volutional neural networks. In *2021 40th Chinese Control*
706 *Conference (CCC)*, pages 6335–6340. IEEE, 2021. 2